



Zaporozhye National University, Ukraine  
Dept. of IT, Intelligent Systems Research Group


# Ontology Evolution Analysis with OWL-MeT

- ☑ Natalya Keberle  
Yuriy Litvinenko  
Yuriy Gordeyev  
Vadim Ermolayev

Intl. Workshop on Ontology Dynamics (IWOD) @ ESWC-2007  
Innsbruck, Austria, 7th June 2007


# Ontology Evolution Analysis(1)

## Versions compatibility




# Ontology Evolution Analysis(2)

## Checking derivability of a fact in different versions




Mike



- “Is it true that if Mike is a **Student** now, he was an **Entrant** some time ago and he will be a **Graduate** in some time in the future?”

# Ontology Evolution Analysis(3)

## Structural analysis of versions and of version changes



# Ontology Evolution Analysis

## "wishlist"

- **Ontology Version Management System**
  - All ontology versions are available
  - Or, there is a version log
  - Or, both versions and a version are available
- **Explicit referencing of ontology versions**
- **Different Query Types**
  - Reasoning queries
  - Meta - level queries on versions compatibility
  - Retrieval queries

# Existing approaches to ontology evolution analysis

- **Versioning and structural analysis of version logs**

OntoView [Klein 2004]

- **Proof-theoretic approach – usage of temporal logic**

MORE tool [Huang & Stuckenschmidt, 2005]

– LTLm

# Requirements for Temporal Logic

- **The notion of distance**
  - Metric logic
- **Explicit version names addressing**
  - Hybrid logic
- **Semantic Web oriented**
  - Description logic

# Temporal Logics overview

- **Propositional:**

- LTL, CTL
- MT [Hustadt et al. 2005]
- PTC(MT) [Keberle 2005]

**Reasoning support : LoTREC (refl.& trans. frames), MetTel, ...**

- **DL-oriented:**

- Schild's logic [Schild 1993]
- Family of CIQ<sub>US</sub> [Wolter & Zakharyashev 1999]
- TL-ALCF [Artale & Franconi 2000]

**Reasoning support : open question**

# ALCIO(MT) proposal

$E, F \rightarrow A \mid \textit{top} \mid \textit{bottom} \mid E \sqcap F \mid E \sqcup F \mid \neg E \mid \exists R. E \mid \forall R. E \mid \{o\}$

$P \rightarrow R \mid P^{-1}$

$C, D \rightarrow E \mid \{a\} \mid C \textit{ intersection } D \mid C \textit{ union } D \mid \textit{not } C \mid C@ \{a\} \mid \textit{future } n C \mid$   
 $\mid \textit{past } n C \mid \textit{somefuture } C \mid \textit{somepast } C \mid \textit{allfuture } C \mid \textit{allpast } C$

# ALCIO(MT)

Specific semantics of **ALCIO(MT)** is defined on reflexive and transitive frames

$$M = \langle \Delta, dist, \{R_F, R_P\}, I, V \rangle$$

$$(future\ n\ C)^{I(k)} = \{o \in \Delta^k : \exists j = k + n, o \in C^{I(j)}\}$$

$$(past\ n\ C)^{I(k)} = \{o \in \Delta^k : \exists j : k = j + n, o \in C^{I(j)}\}$$

$$(somefuture\ C)^{I(k)} = \{o \in \Delta^k : \exists j \geq k, o \in C^{I(j)}\}$$

$$(somepast\ C)^{I(k)} = \{o \in \Delta^k : \exists j \leq k, o \in C^{I(j)}\}$$

$$(allfuture\ C)^{I(k)} = \{o \in \Delta^k : \forall j \geq k, o \in C^{I(j)}\}$$

$$(allpast\ C)^{I(k)} = \{o \in \Delta^k : \forall j \leq k, o \in C^{I(j)}\}$$

$$(C@{a})^{I(k)} = \{o \in C^{I(den(a))}\}$$

# ALCIO(MT)

**ALCIO (MT)** is decidable as the syntactic variant of **CIQ<sub>US</sub>**

SAT problem for **ALCIO(MT)** is **EXPTIME-hard** [Areces, Blackburn & Marx 1999]

**Tableau-based procedure of SAT checking is developed**

# OWL-MeT proposal


- **OWL-MeT: Ontology Web Language for Metric Time**

- Metric and Temporal extension of OWL

- Based on ALCIO(MT)

PLUS

- Definition of TimeStructure for versions identification and ordering. TimeStructure is a finite set of version IDs .



# OWL-MeT examples

## Student is...

```
<TClass rdf:ID="Entrant"/>
<TClass rdf:ID="Graduated"/>
<TClass rdf:ID="Student">
  <equivalentClass>
    <intersectionOf>
      <TRestriction>
        <somepast rdf:resource="#Entrant"/>
      </TRestriction>
      <TRestriction>
        <allfuture>
          <TClass>
            <unionOf>
              <TClass about="#Student"/>
              <TClass about="#Graduated"/>
            </unionOf>
          </TClass>
        </allfuture>
      </TRestriction>
    </intersectionOf>
  </equivalentClass>
</TClass>
```


## 3rd year student is...

```
<TClass ID="Entrant"/>
<TClass rdf:ID="Student">
  <rdfs:subClassOf>
    <TRestriction>
      <past rdf:datatype=
        "&xsd;#NonNegativeInteger">
        1 </past>
      <equivalentClass>
        <TClass rdf:about="#Entrant"/>
      </equivalentClass>
    </TRestriction>
  </rdfs:subClassOf>
</TClass>
```

# Sources of Reasoning Support for OWL-Met

Engine	OWL Support	Status
<b>KAON2</b>	incomplete OWL DL	Freeware
<b>FaCT++</b>	OWL DL	Opensource
<b>RacerPro</b>	OWL DL	Commercial
<b>Pellet</b>	OWL DL	Opensource
<b>Jena</b>	incomplete OWL DL	Opensource

# Changes in Pellet



# Changes in Jena

- added file **owlmet.owl** to Jena
- **owlmet:TClass** is subClassOf **rdf:Class**
- **owlmet:TRestriction** is subClassOf **TClass**
- **owl:Class** is subClassOf **owlmet:TClass**
- **owlmet:Instant** is subClassOf **owlmet:TClass**
  
- Redefined properties like “**equivalentClass**”, “**disjointWith**” to operate on TClasses
  
- Added properties for “**allfuture**”/”**somefuture**”/”**future n**”
- Added properties for “**at**” (rdfs required also to add property “**happens**”)

# Back to Evolution Analysis

- Reasoning queries

e.g.

*(C intersection ((past 2) not C)) @{v5}*

meaning:

“What are the new individuals of concept C in a version v5, which were not present two versions before?”

# Back to Evolution Analysis

- **Meta-level queries**

Given version  $i$ , ontology  $O_i$ , concept  $G_i$  – intersection of the definitions of all concepts and individuals in  $O_i$ .

Then

|—  $G_i @ \{i\}$  – checking SAT for  $O_i$

|—  $G_i @ \{j\}$  – checking SAT for  $O_i$  in  $j$

|—  $GE,i @ \{i\}$  – checking SAT for concept  $E$  (from  $i$ )  
in version  $i$

|—  $GE,i @ \{j\}$  – checking SAT for concept  $E$  (from  $i$ )  
in version  $j$

|—  $(G_i \text{ intersection } G_j) @ \{j\}$

$GE,i$  - compiled [Stuckenschmidt & Klein 2003] concept from all explicit and implicit definitions of  $E$  in version  $i$

# Back to Evolution Analysis

- **Retrieval queries**

e.g.

**Child (C,B)@{j} intersection (not Child(C,B)@{i})**

**meaning**

**“Get new children *B* of concept *C* appeared in the version *j* as compare to the version *i*”**

Might require new roles/role restrictions to be introduced

# Future Work

- **Real cases (propositions are welcome)**
- **Optimization**
- **Combination of TimeStructure concept with an ontology of temporal aggregates (years, monthes, days,.....) – e.g. with OWL-Time [Hobbs&Pan 2004]**
- **Fusion (decidability in mind) between pure DL and temporal parts – like roles/role restrictions over TClasses**

# Additional info

<http://ermolayev.com/owl-met/>

**Shall be happy to answer your  
questions**